

Search Notes**Application/Control No.**

10/530,606

Applicant(s)/Patent under Reexamination

BOMAN ET AL.

Examiner

Rodney P. Swartz, Ph.D.

Art Unit

1645

SEARCHED

Class	Subclass	Date	Examiner
424	9.1 9.2 184.1 185.1	3/30/2007	RPS
436	501	3/30/2007	RPS
435	4 7.1	3/30/2007	RPS
530	300 350	3/30/2007	RPS
updated	above	10/23/2007	RPS
updated	above	6/10/2008	RPS
updated	above	2/28/2009	RPS
updated	above	5/12/2009	RPS

INTERFERENCE SEARCHED

Class	Subclass	Date	Examiner
424	9.2	5/12/2009	RPS
424	9.1 184.1	5/12/2009	RPS
424	185.1	5/12/2009	RPS
435/4, 7.1, 436/501, 530/300, 350		5/12/2009	RPS

**SEARCH NOTES
(INCLUDING SEARCH STRATEGY)**

	DATE	EXMR
biosis caba caplus embase japio lifesdi medline scisearch uspatfull SEQ ID search	3/30/2007	RPS
updated above	10/23/2007	RPS
updated above	6/10/2008	RPS
PALM - inventor name JPO,EPO,USPAT,USPGPUB	2/28/2009	RPS
reviewed searches PALM - inventor name	5/12/2009	RPS